



A CSW Industrials Company

SAFETY DATA SHEET

This SDS conforms to REACH SDS CLP regulation 2015/830.

Issuing Date 25-Apr-2013

Revision Date 02-May-2018

Revision Number 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) 114
Product Name Jet-Lube Extreme®

Chemical name

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Lubricants, Greases and Release Products.
Uses advised against No information available.

1.3. Details of the supplier of the safety data sheet

Importer	Manufacturer
Jet-Lube (UK) Ltd	Jet Lube LLC
City Park, Watchmead	930 Whitmore Drive
Welwyn Garden City, Hertfordshire	Rockwall, Texas USA 75087
AL7 1LT	TEL: +1-713-670-5700 (8am-5pm CST)
United Kingdom	

For further information, please contact.

Responsible Persons	Regulatory & Laboratory Team Member(s)
E-mail Address	regulatory@jetlube.com
Non-Emergency Telephone Number	+44-1628-631913 (JL UK Office) +1-972-771-1000 (USA Office) +1-780-463-7441 (JL Canada)

1.4. Emergency telephone number

Emergency Telephone Number 44 1628-631913

Emergency telephone \$45 - (EC)1272/2008	
Europe	112
Austria	Poison Information Center (AT): +43-(0)1-406 43 43



Belgium	Poison Center (BE): +32 70 245 245
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
Finland	Poison Information Centre (FI): +358 9 471 977
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790 (24 h service, Advice in German and English)
Ireland	National Poisons Information Centre (IE): +353 1 8379964
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO): + 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Portugal	Poison Information Center (PT): +351 21 330 3284
Spain	Poison Information Service (ES): +34 91 562 04 20
Sweden	Poisons Information Center (SV): +46 8 33 12 31
Switzerland	Poison Center (CH): Tel 145: +41 44 251 51 51
United Kingdom	NHS Direct (UK): +44 0845 46 47

Section 2: Hazards Identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Serious eye damage/eye irritation

Category 2 - (H319)

2.2. Label elements



Signal word

Warning

Hazard Statements

H319 - Causes serious eye irritation

Precautionary Statements - EU (§28, 1272/2008)

P321 - Specific treatment (see supplemental first aid instructions on this label)

P201 - Obtain special instructions before use

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical advice/attention

2.3. Other hazards

No information available

Section 3: Composition/Information

3.1 Substances

Not applicable.

3.2 Mixtures

Chemical Name	EC No	CAS-No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Reg. No.
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	278-011-7	74869-21-9	65-70	No data available	No data available
Graphite	231-955-3	7782-42-5	10-15	No data available	01-2119486977-12
Copper (flake)	231-159-6	7440-50-8	5-10	Eye Irrit. 2 (H319)	01-2119480154-42
Talc	238-877-9	14807-96-6	1-5	No data available	01-2120140278-58
Limestone	215-279-6	1317-65-3	1-5	No data available	EXEMPT Article 2 (7)(B)
Molybdenum (IV) sulfide	215-263-9	1317-33-5	1-5	No data available	EXEMPT Article 2 (7)(B)

Full text of H- and EUH-phrases: see section 16**Note**

The producer of "74869-21-9" declares that it contains less than 3% DMSO extractable material by IP-346 The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346. This note applies only to certain complex oil derived substances in Annex I

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 4: First aid measures**4.1. Description of first aid measures****General advice**

IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.

Inhalation

Remove to fresh air.

Skin contact

Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous Combustion Products

Carbon oxides.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.

Other Information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

General Hygiene Considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Material Safety Data Sheet.

Section 8: Exposure control/personal protection equipment

8.1. Control parameters

Exposure Limits

Chemical Name	EU	United Kingdom	France	Spain	Germany
Graphite 7782-42-5	-	STEL: 30 mg/m ³ STEL: 12 mg/m ³ TWA: 10 mg/m ³ TWA: 4 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	-
Copper (flake) 7440-50-8	-	TWA: 1 mg/m ³ TWA: 0.2 mg/m ³ STEL: 0.6 mg/m ³ STEL: 2 mg/m ³	TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ STEL: 2 mg/m ³	TWA: 0.2 mg/m ³ TWA: 1 mg/m ³	-
Talc 14807-96-6	-	TWA: 1 mg/m ³ STEL: 3 mg/m ³	-	TWA: 2 mg/m ³	-
Limestone 1317-65-3	-	STEL: 30 mg/m ³ STEL: 12 mg/m ³ TWA: 10 mg/m ³ TWA: 4 mg/m ³	-	-	-
Molybdenum (IV) sulfide 1317-33-5	-	STEL: 20 mg/m ³ TWA: 10 mg/m ³	-	TWA: 10 mg/m ³ TWA: 3 mg/m ³	-
Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
Graphite 7782-42-5	TWA: 2 mg/m ³	TWA: 2 mg/m ³	-	TWA: 2 mg/m ³	TWA: 2.5 mg/m ³

Copper (flake) 7440-50-8	TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³ TWA: 1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 1 mg/m ³ TWA: 0.1 mg/m ³	TWA: 1.0 mg/m ³ TWA: 0.1 mg/m ³
Talc 14807-96-6	TWA: 2 mg/m ³ Carc*	TWA: 2 mg/m ³ Carc*	TWA: 0.25 mg/m ³	TWA: 0.5 fiber/cm ³ STEL: 2 ppm STEL: 1 ppm	TWA: 0.3 fiber/cm ³ Carc*
Molybdenum (IV) sulfide 1317-33-5	-	TWA: 10 mg/m ³ TWA: 3 mg/m ³	-	-	TWA: 10 mg/m ³
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Graphite 7782-42-5	STEL 10 mg/m ³ TWA: 5 mg/m ³	TWA: 2.5 mg/m ³ TWA: 5 mg/m ³	TWA: 4.0 mg/m ³ TWA: 1.0 mg/m ³ TWA: 6.0 mg/m ³	TWA: 5 mg/m ³ TWA: 2 mg/m ³ TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 10 mg/m ³ STEL: 4 mg/m ³ STEL: 15 mg/m ³ STEL: 8 mg/m ³	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³
Copper (flake) 7440-50-8	STEL: 4 mg/m ³ STEL: 0.4 mg/m ³ TWA: 1 mg/m ³ TWA: 0.1 mg/m ³	STEL: 0.2 mg/m ³ TWA: 0.1 mg/m ³	TWA: 0.2 mg/m ³	TWA: 0.1 mg/m ³ TWA: 1 mg/m ³ STEL: 0.1 mg/m ³ STEL: 1 mg/m ³	TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ STEL: 0.6 mg/m ³ STEL: 2 mg/m ³
Talc 14807-96-6	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 4.0 mg/m ³ TWA: 1.0 mg/m ³	TWA: 6 mg/m ³ TWA: 2 mg/m ³ STEL: 6 mg/m ³ STEL: 2 mg/m ³	TWA: 10 mg/m ³ TWA: 0.8 mg/m ³ STEL: 30 mg/m ³ STEL: 2.4 mg/m ³
Limestone 1317-65-3	-	-	-	-	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³
Molybdenum (IV) sulfide 1317-33-5	STEL 20 mg/m ³ TWA: 10 mg/m ³	TWA: 10 mg/m ³	STEL: 10 mg/m ³ TWA: 4 mg/m ³	TWA: 10 mg/m ³ STEL: 15 mg/m ³	TWA: 3 mg/m ³ TWA: 0.5 mg/m ³ STEL: 9 mg/m ³ STEL: 1.5 mg/m ³
Chemical name	Romania	Ukraine TLVs	Sweden TLVs	Hungary	Turkey TLVs
Graphite 7782-42-5	TWA: 2 mg/m ³		LLV: 5 mg/m ³		
Copper (flake) 7440-50-8	TWA: 0.50 mg/m ³ STEL: 0.20 mg/m ³ STEL: 1.50 mg/m ³		LLV: 1 mg/m ³ LLV: 0.2 mg/m ³	TWA: 1 mg/m ³ TWA: 0.1 mg/m ³ STEL: 4 mg/m ³ STEL: 0.4 mg/m ³	
Talc 14807-96-6	TWA: 2 mg/m ³		LLV: 2 mg/m ³ LLV: 1 mg/m ³	TWA: 2 mg/m ³	
Limestone 1317-65-3	TWA: 10 mg/m ³			TWA: 10 mg/m ³	
Molybdenum (IV) sulfide 1317-33-5	TWA: 5 mg/m ³ STEL: 10 mg/m ³			STEL: 60 mg/m ³ TWA: 15 mg/m ³	

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available

8.2. Exposure controls

Personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand Protection	Wear suitable gloves. Impervious gloves. Nitrile rubber. Viton™. Neoprene gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

Section 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	Paste / Gel
Appearance	Copper Bronze
Odor	Petroleum
Color	No information available
Odor Threshold	No data available

<u>Property</u>	<u>Values</u>	<u>Remarks Method</u>
pH	7	
Melting / freezing point	232 °C	None known
Boiling point / boiling range	260 °C	
Flash Point	> 221 °C	
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.20	
Water Solubility	Insoluble	
Solubility(ies)	No data available	None known
Partition coefficient: n-octanol/water	Not Available	
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Viscosity	No data available	None known

9.2. Other information

Softening Point	No information available
Molecular Weight	No information available
VOC Content (%)	No information available
Liquid Density	No information available
Bulk Density	No information available
Particle Size	No information available
Particle Size Distribution	No information available

Section 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

Explosion Data

Sensitivity to Mechanical Impact

None.

Sensitivity to Static Discharge

None.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, Strong bases, Strong oxidizing agents.

10.6. Hazardous decomposition products

Carbon oxides.

Section 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation.
Eye contact	Specific test data for the substance or mixture is not available. Causes eye irritation.
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components). May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Information on toxicological effects



Symptoms Redness. May cause redness and tearing of the eyes.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 2,280.00 mg/kg

Unknown acute toxicity

- 100 % of the mixture consists of ingredient(s) of unknown toxicity
- 30 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 100 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	Inhalation LC50
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	= 2280 mg/kg (Rat)		
Molybdenum (IV) sulfide			> 2820 mg/m ³ (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients.

Serious eye damage/eye irritation Classification based on data available for ingredients. Irritating to eyes.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Classification based on data available for ingredients.

Reproductive Toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity

Very toxic to aquatic life with long lasting effects. .

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	>1001 mg/l	96h LC50: > 2000 mg/L (Salmo gairdneri)	-	
Copper (flake)	96h EC50: 0.031 - 0.054 mg/L (Pseudokirchneriella subcapitata) 72h EC50: 0.0426 - 0.0535 mg/L (Pseudokirchneriella subcapitata)	96h LC50: = 0.052 mg/L (Oncorhynchus mykiss) 96h LC50: < 0.3 mg/L (Pimephales promelas) 96h LC50: 0.0068 - 0.0156 mg/L (Pimephales promelas) 96h LC50: = 0.2 mg/L (Pimephales promelas) 96h LC50: = 0.3 mg/L (Cyprinus carpio) 96h LC50: = 0.112 mg/L (Poecilia reticulata) 96h LC50: = 0.8 mg/L (Cyprinus carpio) 96h LC50: = 1.25 mg/L (Lepomis macrochirus)	-	48h EC50: = 0.03 mg/L
Talc	EC50 72 h: > 1000 mg/L (Skeletonema costatum)	96h LC50: > 1000 mg/L (Turbot)	10-day LC50 = > 12194mg/kg (Corophium volutator)	48h EC50: = >1000mg/L (Acartia tonsa)

12.2. Persistence and degradability

Persistence and Degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation No information available.

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical Name	PBT and vPvB assessment
Graphite	The substance is not PBT / vPvB PBT assessment does not apply
Copper (flake)	The substance is not PBT / vPvB PBT assessment does not apply
Talc	The substance is not PBT / vPvB

12.6. Other adverse effects

Other adverse effects No information available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging No information available.

Section 14: Transport information

IMDG

14.1 UN Number Not regulated
 14.2 Proper Shipping Name NOT REGULATED
 14.3 Hazard Class (select) Not regulated
 14.4 Packing Group (select) Not regulated
 14.5 Marine Pollutant Not applicable
 14.6 Special Provisions None
 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code No information available

RID

14.1 UN-No. NOT REGULATED
 14.2 Proper Shipping Name NOT REGULATED
 14.3 Hazard Class NOT REGULATED
 14.4 Packing Group NOT REGULATED
 14.5 Environmental hazard Not applicable
 14.6 Special Provisions None

ADR

14.1 UN-No. NOT REGULATED
 14.2 Proper Shipping Name NOT REGULATED
 14.3 Hazard Class NOT REGULATED
 14.4 Packing Group NOT REGULATED
 14.5 Environmental hazard Not applicable
 14.6 Special Provisions None

IATA

14.1 UN Number	Not regulated
14.2 Proper Shipping Name	NOT REGULATED
14.3 Hazard Class (select)	Not regulated
14.4 Packing Group (select)	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number	Title
Graphite 7782-42-5	RG 16 RG 25	-
Copper (flake) 7440-50-8	RG 5, RG 14, RG 15, RG 15bis, RG 20bis	-
Talc 14807-96-6	RG 25	-

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV).

Persistent Organic Pollutants

Not applicable.

Dangerous substance category per Seveso Directive (2012/18/EU)

E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable.

International Inventories

TSCA	Complies.
DSL/NDSL	Complies.
EINECS/ELINCS	Complies.
ENCS	Not determined.
IECSC	Contact supplier for inventory compliance status.
KECL	Not determined.
PICCS	Not determined.
AICS	Not determined.



Legend**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**AICS** - Australian Inventory of Chemical Substances**15.2. Chemical safety assessment**

No information available.

Section 16: Other Information**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of H-Statements referred to under sections 2 and 3**

H319 - Causes serious eye irritation

Legend

SVHC: Substances of Very High Concern for Authorization:

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	-	Skin designation

Key literature references and sources for datawww.ChemADVISOR.com/

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Issuing Date 25-Apr-2013**Revision Date** 02-May-2018**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet